71254

Ultra Hygiene Table Squeegee w/Mini Handle, 245 mm, Red







An ultra-hygienic single bladed squeegee for removing excess water and food debris from food-preparation surfaces. The soft and flexible blade is fully moulded to ensure it is easy to keep completely clean.

Technical Data

Material Polypropylene, TPE Rubber Recycling Symbol "7", Miscellaneous Plastics Yes Complies with EC) 1935/2004 on food contact materials' Yes Complies with ED Regulation 2023/2006/EC of Good Yes Complies with ED Regulation 2023/2006/EC of Good Yes Complies with ED Regulation 2FR 21' Yes Complies with CAIfornia Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 20 Quantity per Pallet (80 x 120 x 180-200 cm) 1600 Quantity Per Layer (Pallet) 1610 Box Length 385 Box Width 290 Box Height 104 Net wight 0.0043 Lippt 0.0043 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE') 0.001274 Recommended sterilisation temperature (Autoclave) 121 Max usage temperature (Dishwasher) 93 Max usage temperature (non food contact) 0.00	Item Number	71254
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with EU Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190-1-8, CB 9002364190001-8Box Quantity20Quantity Per Layer (Pallet)160Box Length385Box With290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0127Recommended sterillisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature-200Max. drying temperature120	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation1 CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190.01-8, GBBox Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width0.226Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.242Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max usage temperature (food contact)100Min. usage temperature (non food contact)100Min. usage temperature-20Max. drying temperature120	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190.1-8, GB Box Quantity 20 Quantity per Pallet (80 x 120 x 180-200 cm) 1600 Quantity Per Layer (Pallet) 160 Box Kleight 290 Box With 290 Box Kleight 385 Box With 290 Box Kleight 180 Length 300 Net Weight 0.226 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene 0.0043 (LDPE)) 0.0043 Weight cardboard (Recycling symbol "20" PAP) 0.0085 Tare total 0.01274 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (IDishwasher) 93 Max usage temperature (food contact) <t< th=""><th>Complies with (EC) 1935/2004 on food contact materials¹</th><th>Yes</th></t<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
IndustryInstructionComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190.1-8, GBBox Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)1600Box Length385Box Width290Box Height180Length205Weight0.226Weight0.226Weight0.226Weight cardboard (Recycling Symbol "20" PAP)0.0043Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100Min. usage temperature200Max. drying temperature200		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190-1-8, GBBox Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length201Width500Height104Net Weight0.226Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.01274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (fod contact)50Max usage temperature (food contact)100Min. usage temperature-200Max. drying temperature120	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190-1-8, GBBox Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.01274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (food contact)50Max usage temperature (food contact)100Min. usage temperature0.20Max. drying temperature120	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190.1-8, GBBox Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width004Width004Cupper Layer (Pallet)100Box Length385Box Width290Box Kleight180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.01274Gross Weight0.242Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max cleaning temperature (food contact)100Min. usage temperature (non food contact)100Min. usage temperature-200Max. drying temperature120	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364190-1-8, GB 9002364190001-8Box Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height0.043Kith Desciption0.0043Vidth0.0226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120	Complies with California Proposition 65	Yes
Design Registration No.EU 002364190-1-8, GB 9002364190001-8Box Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.011274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature-20Max. drying temperature-20Max. drying temperature120	Complies with Halal and Kosher	Yes
Box Quantity20Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.01274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature200Max. drying temperature120	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)1600Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.244Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature-20Max. drying temperature120	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)160Box Length385Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.244Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperatures-20Max. drying temperature120	Box Quantity	20
Box Length385Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.224Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperatures-20Max. drying temperature120	Quantity per Pallet (80 x 120 x 180-200 cm)	1600
Box Width290Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.2128Gross Weight0.224Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100Min. usage temperatures-20Max. drying temperature120	Quantity Per Layer (Pallet)	160
Box Height180Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.244Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperatures-20Max. drying temperature120	Box Length	385
Length245Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100Min. usage temperature a-20Max. drying temperature120	Box Width	290
Width50Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120	Box Height	180
Height104Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120	Length	245
Net Weight0.226Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature a-20Max. drying temperature120	Width	50
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0043Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max. usage temperature and contact100Min. usage temperature and contact100Max. drying temperature120	Height	104
(LDPE))0.0085Weight cardboard (Recycling symbol "20" PAP)0.0085Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120	Net Weight	0.226
Tare total0.0128Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120		0.0043
Gross Weight0.24Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature3-20Max. drying temperature120	Weight cardboard (Recycling symbol "20" PAP)	0.0085
Cubic metre0.001274Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature120	Tare total	0.0128
Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature120	Gross Weight	0.24
Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature120	Cubic metre	0.001274
Max usage temperature (food contact)50Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature120	Recommended sterilisation temperature (Autoclave)	121
Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature120	Max. cleaning temperature (Dishwasher)	93
Min. usage temperature3-20Max. drying temperature120	Max usage temperature (food contact)	50
Max. drying temperature 120	Max usage temperature (non food contact)	100
	Min. usage temperature ³	-20
Min. pH-value in usage concentration2	Max. drying temperature	120
	Min. pH-value in usage concentration	2

Max. pH-value in Usage Concentration	10.5
Gtin-13 Number	5705020712548
GTIN-14 Number (Box quantity)	15705020712545
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.